



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named
Inventor : Harry W. Schmidt et al.

Appln. No.: 09/803,721

Filed : March 9, 2001

For : VIAL HANDLING SYSTEM WITH
IMPROVED VIAL GRIPPER

Docket No.: T268.12-0041

Group Art Unit:1743

**RESPONSE TO NOTICE OF INCOMPLETE REPLY
(NONPROVISIONAL)-FILING DATE GRANTED**

Box Missing Parts

Commissioner for Patents
Washington, D.C. 20231

I HEREBY CERTIFY THAT THIS PAPER IS BEING
SENT BY U.S. MAIL, FIRST CLASS, TO THE
ASSISTANT COMMISSIONER FOR PATENTS,
WASHINGTON, D.C. 20231, THIS

19th DAY OF June, 2001


PATENT ATTORNEY


Sir:

In response to the Notice of Incomplete Reply (Nonprovisional) - Filing Date Granted dated June 7, 2001, Applicant encloses the following documents to complete the above-identified patent application filed March 9, 2001:


1. Notice of Incomplete Reply (Nonprovisional) - Filing Date Granted.
2. (3) sheets formal drawings.

The Director is authorized to charge payment of any additional fees associated with this paper or credit any overpayment to Deposit Account No. 23-1123. A duplicate copy of this sheet is enclosed.

Respectfully submitted,
WESTMAN, CHAMPLIN & KELLY, P.A.

By: 
Christopher R. Christenson, Reg. No. 42,413
Suite 1600 - International Centre
900 Second Avenue South
Minneapolis, Minnesota 55402-3319
Phone: (612) 334-3222 Fax: (612) 334-3312

CRC:ajm



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/803,721	03/09/2001	Harry W. Schmidt	T268.12-0041

CONFIRMATION NO. 9002

FORMALITIES LETTER



OC000000006158928

Christopher R. Christenson
WESTMAN, CHAMPLIN & KELLY, P.A.
International Center - Suite 1600
900 Second Avenue South
Minneapolis, MN 55402-3319

Date Mailed: 06/07/2001

NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

Filing Date Granted

The U.S. Patent and Trademark Office has received your reply on to the Notice mailed and it has been entered into the nonprovisional application. The reply, however, doesnot include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).

A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.


Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE